



# Powerful Compact Ni-Cad 18 Volt 3/8" Impact Gun

## **Features and Benefits**

- 180 ft.lbs. of torque output
- High efficiency rare-earth magnet, 4-brush motor for maximum durability
- Alloy steel, heat treated, helical gears for maximum durability
- High capacity 2.5 Amp-hr.18V Ni-Cad battery for long run time
- Micro-controlled variable speed digital switch
- Can remove a 7/8" bolt tightened at 250 ft-lb in less than 10 seconds



Country of origin: USA







## Related Items

207IMDFMYA 12pt Metric Socket Set 212IMFMSYA 6pt Semi-Deep Metric Set 207IPFM 6pt Swivel Impact Metric Set

## **Applications**

Tire repair, general automotive, maintenance and assembly work

#### Other Versions

CT4418 Tool Only CT4418P Pinned Anvil

CT4418QC Quick Charge Impact

1/2" Anvil CT4415 CTA4418 Australia

CTEU4418 Europe/UK

CTJ4418 Japan

# **Specifications**

Tightening torque	180 ft-lb
Bolt breakaway torque	250 ft-lb
Free speed	2400 rpm
Impacts per minute	3440
Weight with battery	5.5 lbs.
Sound Pressure Level	97 dBA
Sound Power Level	108 dBA
Vibration Level	5.3 m/^2

## **WARNING**



Power tools can cause flying particles

Wear safety goggles (Users and bystanders)

Flying particles can cause injury

Power tools generate noise



Wear hearing protection (Users and bystanders).

Prolonged exposure to noise can cause hearing loss.

· Power tools vibrate



Avoid prolonged exposure to vibration.

Prolonged exposure to vibration can cause injury.

Improper use of power tools and accessories can cause broken tools.

Do not use without all guards in place. Use accessories rated at tool RPM.

Read and follow instructions before using power tools.

Broken tools can cause injury.

Read additional safety precautions on pages W1 to W4 in product catalog CAT1200.

